466522.

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Haz	zard Comi	munication !	Standard 29 CFR 1910.1	200 and 0	OSHA Form 17	14	
SECTION 1- PRODUC	CT ANI	D MANL	IFACTURER'S IN	VFORIV	IATION		
NFPA Rating: Health-2; Flammability-0; Reactivity-0; Special-	D	HM	IS Rating: Health-2; F	lammabilit	y-0; Reactivity	-0; Personal	Prolection D
DISTRIBUTED BY: Mastercraft Industries, Inc.			DOT Hazard 0	Classific	ation: NON	-HAZARDO	USI
MANUFACTURED BY: MISSION LABORATORIES			dentit	y (trade n	ame as used o	n label):	
Address: 2433 BIRKDALE STREE	Т		OUT DO				5
LOS ANGELES, CA. 900			00100) OILL	・レイヘアー 1/F		`
	٠.						
Date Prepared: 02/20/06 Prepared		1 000	DS Number: X-14				
	by. Fr	1 (11)			255 511 111	Kev	ision-
Information Calls: (323) 223-1405			NOTICE: JUDGME	INI BAS	PED ON INI	JIRECT TE	SIDATA
EMERGENCY RESPONSE NUMBER: (800) 255-	3924					
SECTION 2 – HAZARDOUS	MATE	RIAL ID	ENTIFICATION	AND IN	JEORMAT	ION	
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES			CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen
(Hazardous Components 1% or greater, Carcinogens 0.1% or gr	ealer)			III LIST	(mad)		Ref. Source **
2-BUTOXYETHANOL		15.0	111-76-2	N/E	N/E	25	N/E
SODIUM TRIPOLYPHOSPHATE		1.0	7758-29-4	N/E	N/E	N/E	N/E
ALKYL ARYL POLYETHER		3,0	N/E	N/E	N/E	N/E	N/E
			···· -			13712	1975
SECTION 3 - PH	VSICAI	/CUENA	ICAL CUADACT	EDICT	ice	<u></u>	I
Boiling Point: >212 'F	IOIOM			LUIDI	IV3		
Vapor Pressure: N/E Max.			ecific Gravity : 0,996 of Product : 11.0				
Vapor Pressile: 14/E Wax.			poration Rate: N/E				
Solubility in Water: Soluble			Int Reactive: N/E				
	and the same of th						
THE SHOWEN	abe 70	ON EVE	LOSION HAZAR	KKKŦ	Λ.		
FLAMMABILITY as per USA FLAME PROJECTION TE NON FLAMMABLE	:51	Auto Ig	nition Temperature	l-lamn	nability Limit	s in Air by %	in Volume:
FLASH POINT AND METHOD USED (non-aerosols): >150 'F		I-V	N/E TINGUISHER MEDIA: 1		LOWER: 0	ושראט טט.	₹: 0.00
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained brea		naralus auteres	HINGUISHER WEDIA: I	-оап, оту	chemical, card	on alexiae. W	aler.
Unusual Fire & Explosion Hazards: TOXIC FUMES MAY BE	EMITTE	D IF MATER	RIAL IS EXPOSED TO E	XTREME	TEMPERATI	IRFS.	
			TY HAZARD DA				101.07
STABILITY X STABLE UNSTABLE			ZARDOUS POLYMERIZ] WILL [X 1WILL NO	T OCCUR
Incompatibility (Mat. to avoid): VERY STRONG OXIDIZING A	GENTS		nditions to Avoid: KEE				
Hazardous Decomposition Products: Smoke, Carbon Mono	xide, Carl	on Dioxide	and other Toxic Fume	5.		<u> </u>	C1711-1
			HAZARD DATA				
PRIMARY ROUTES OF ENTRY: [X] INHALATIO					TEVE ! II	NOT HAZARI	OHE
ACUTE EFFECTS: None Known.	214 177 1	NAOFO LIO	A IN IONNA VADOCINI	HON IN	TEIE I II	TOT TIMEARLE	7003
Inhalation: Prolonged exposure to vapors may cause signs	& sympto	oms of Cen	tral Nervous System Do	noiesaion	such as Hear	tache. Dizzin	azamlanM aan
inhalation: Prolonged exposure to vapors may cause signs & symptoms of Central Nervous System Depression such as Headache, Dizziness, Weakness and Loss of Coordination. VaporiMist may result in irritation to the entire Respiratory Tract.							
Eye Contact: Contact with eyes may result in severe eye irritation and Skin Contact: Prolonged or Repeated skin contact may result in skin							
possible damage of the Corneal. Redness and Tearing.		litri	tation leading to Derma	otitis. Def	attiso of skin	may also oc	zur.
Ingestion: Ingestion of this product may result in Gastrointe	estinal irri	ltation, Hea	dache, Nausea, Vomilli	ng and Di	arrhea.		
CHRONIC EFFECTS: None Known.							
Medical Conditions Generally Aggravated by Exposure: Nor							
			IRST AID PROCI				
Eye Contact: Remove contact lenses immediately. Flush eyes with plenty of water for at least 15 minutes. Get immediately medical attention.							
Skin Contact: Wash skin with plenty of water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.							
Inhalation: Remove to Fresh Air. Give Oxygen or CPR. Get immediately medical attention.							
logestions. Do not give anything by mouth to an unconscious or convulsing person. Do not induce vomiting. Get immediately medical attention.							
SECTION 8 – PERSONAL PROTECTION							
Respiratory Protection (specify type): USE SELF CONTAINED AIR MASK IN CLOSED ROOMS.							
Protective Gloves: Neoprene or Rubber Gloves. Eye Protection: SAFETY GLASSES OR MONOGOGGLES.							
Ventilation Requirements: GOOD VENTILATION SHOULD BE MAINTAINED.							
Other Protective Clothing & Equipment: Impervious apron and boots. Provide emergency safety showers and eye wash fountain near work area.							
Hygienic Work Practices: Do not mix this product with other chemicals. Toxic Fumes may be emitted.							
SECTION 9 – ACCIDENTAL RELEASE PROCEDURES							
Steps To Be Taken If Material Is Spilled Or Released: KEEP UNNECESSARY PEOPLE AWAY, SPILLS ARE SLIPPERY, DIKE & CONTAIN WITH INERT							
ABSORBENT MATERIAL. COLLECT FOR DISPOSAL.							
Waste Disposal Methods: CONSULT LOCAL AUTHORITY FOR ALTERNATE METHODS, OBSERVE ALL LOCAL, STATE & FEDERAL REGULATIONS.							
Precautions To Be Taken in Handling & Storage: STORE IN A COOL WELL VENTILATED AREA AWAY FROM SPARK, HEAT AND OPEN FLAME.							
Other Precautions & for Special Hazards: KEEP OUT OF RE	EAGH UF	CHILLIHEN	ı.				
1							

PRODUCTS CHEMICAL COMPANY

6400 Herman Av Cleveland OH 44102

479012.

EMERGENCY: phone number involving spill, leak, fire or accident:

INFOTRAC 800-535-5053

MATERIAL SAFETY DA	TΑ	١
--------------------	----	---

(Prepared According to 29CFR 1910,1200)

SECTION 1 -- PRODUCT IDENTIFICATION

Product Code # 2606

PRODUCT NAME:

PRODUCT TYPE: CARPET SPOT CLEANER

HMIS Rating Health ... 2

COMPANY NAME:

Fire ... 0

COMPANY ADDRESS:

Reactivity ... 0 Personal Protection ... B

Proper Shipping Name: COMPOUND, CLEANING LIQUID, NOI

Formula Proprietary

Parameter and the state of the		SECTION 2 INGRE	DIENTS			
		SECTION 2 INGINE	DICIATO		Rev	ision Date: 02/01
CHEMICAL NAME	CAS NO.	PERCENT WT	313 / CHEM	PEL	TWA-TLV	CARCINOGEN
WATER	7732-18-5	85 to 90	N			NO
SODIUM HYDROXIDE	1310-73-2	0 to 5	N	2	2	МО
SODIUM CARBONATE	497-19-8	0 to 5	N	***		NO
SESQUICARBONATE	533-96-0	0 to 5	И			ИО
SULFONIC ACID	27176-87-0	0 to 5	N			ИО
2 BUTOXYETHANOL	111-76-2	4.161	Υ	25ppm	25ppm	Yes
DYE	N/A				F-F	NO

This product contains materials subject to the reporting requirements of SARA, Section 313 Emergency Planning & Right-To-Know Act.

SECTION 3 — PHYSICAL DA	TA	SECTION 4 FIRE AND EXPLOSION DATA
Boil Point 212 Vapor Press.(mmhg) 20@68f VaporDensity (AIR=1) N/A Solubility in Water: CMP Appearance / Odor: BLUE LI	Volatile: pH Evap. Rate (H2O=1) 1-1	Plash Point: N/A (TCP) Head Flammable Limits: N/A Extinguishing Media: Non-Flammable Special Fire Flghting Procedures: N/A Fire, Explosion Hazards: N/A
SECTION 5 REACTIVITY	DATA	SECTION 6 - STORAGE AND HANDLING
Stability: STARLE		

Hazardous Polymerization: WILL NOT OCCUR STRONG ACIDS, OXIDIZERS Incompatibility:

For industrial use only

Hazardous Decomposition: NONE KNOWN

SECTION 7 - HEALTH AND FIRST AID

EYES: May cause severe eye irritation. Avoid liquid or mist in

SKIN: May cause severe skin irritation. Prolonged contact may cause burns and redness.

INHALATION: May be irritating to mucous membranes in nose,

throat, and lungs.

INGESTION: May cause headache, nausea, irritation to the intestine, mouth, & throat. Diarrhea expected with large doses.

EYES: Flush eyes with large amounts of water. Consult physician if irritation continues.

SKIN: Flush with large amounts of water. Remove contaminated clothes. Seek medical attention. INHALATION: Seek fresh air, Consult physician

KEEP OUT OF THE REACH OF CHILDREN

INGESTION: induce vomiting. Drink large quantities of water. Seek medical attention.

SECTION B -- SPECIAL PROTECTION DATA

Repository Protection: Adequate ventilation Ventilation as required to maintain TLV

Protective Gloves: Rubber Gloves Recommended. Eye Protection: Safety Glasses Recommended

N/A = Not Applicable CMP = Complete SECTION 9 - SPILL OR LEAK PRECAUTIONS

Steps to be taken in case of spill or leak: Mop or absorb for disposal

Waste disposal Method:

Sewer or incinerate with local approval.

END OF GENERATE